

# Lampo / Elettrolampo



ASSA ABLOY

ASSA ABLOY, the global leader  
in door opening solutions



# Lampo / Elettrolampo

## Maniglione antipanico per porte metalliche con fascia

### Caratteristiche:

- Adatto per porte a singola o doppia anta
- Stessa lavorazione del profilo (fascia) richiesta per l'applicazione di una serratura standard (entrata 70 mm)
- Barre in acciaio verniciato e alluminio anodizzato
- Mezzi cilindri:
  - Profilati serie F160
  - Ovali serie F150
- Abbinabile alla maniglia esterna F9399
- Certificato CE (EN1125) per porte montate su cerniere o perni, con massa oltre 200 kg, altezza non superiore a 2520 mm e larghezza non maggiore di 1320 mm

### Versioni:

- Meccanica modulare (per 1, 2 o 3 punti di chiusura) dx o sx
- Elettrica monopunto (dx o sx) per apertura a distanza

### Da ordinare a parte:

- Barra
- Kit scrochi (per chiusure aggiuntive)
- Maniglia esterna (solo dove previsto e non incluso nel codice del meccanismo)
- Cilindro (solo dove previsto e non incluso nel codice del meccanismo)

### Testo per capitolati

Maniglione antipanico, entrata 70 mm, con cilindro ovale oppure profilato, Lampo.  
Elettrolampo se previsto anche comando elettrico.

## Panic exit device for midrail metal doors

### Features:

- Right for single or double leaf doors
- Same profile machining required by a standard lock (backset 70 mm)
- Varnished steel and anodized aluminum bars
- Half cylinders:
  - Profile series F160
  - Oval series F150
- Can be combined with external handle series F9399
- CE certified (EN1125) for doors on hinges or pivots with weight over 200 kg, height not higher than 2520 mm and width not greater than 1320 mm

### Versions:


- Mechanical modular (for 1, 2 or 3 locking points) right or left
- Electric single point (right or left) for remote opening


### To be ordered separately:

- Bar
- Latches Kit (for additional locking points)
- External handle (only where possible and not included in the mechanism article number)
- Cylinder (only where possible and not included in the mechanism article number)

### Text for specification

Panic exit device, backset 70 mm, with oval or profile cylinder, Lampo. Elettrolampo if provided with electric control





**ELETTROLAMPO**  
 Meccanismo base con cilindro (monopunto, non abbinabile a Kit scrocchi)  
 Mechanism with cylinder (single point, not combinable with latches Kit)

	Codice / Code	Mano / Side	Finitura Finish	Entrata Backset		
	Con cilindro ovale (per uso con solo cilindro oppure cilindro e pomolo fisso) With oval cylinder (only for use with cylinder or cylinder and fixed knob)					
	<b>F9403/D</b>	Dx / Rhs	Nero/Black	70	2.690	1
	<b>F9403/S</b>	Sx / Lhs	Nero/Black	70	2.690	1
	Con cilindro ovale e micro-switch sul portabarra (per uso con solo cilindro oppure cilindro e pomolo fisso) With oval cylinder and micro-switch on lever (only for use with cylinder or cylinder and fixed knob)					
	<b>F9403/D/B</b>	Dx / Rhs	Nero/Black	70	2.690	1
	<b>F9403/S/B</b>	Sx / Lhs	Nero/Black	70	2.690	1
	Con cilindro profilato (per uso con solo cilindro oppure cilindro e pomolo fisso) With profile cylinder (only for use with cylinder or cylinder and fixed knob)					
	<b>F9403/D/SAG</b>	Dx / Rhs	Nero/Black	70	2.690	1
	<b>F9403/S/SAG</b>	Sx / Lhs	Nero/Black	70	2.690	1

**LAMPO**  
 Meccanismo base con cilindro (monopunto, non abbinabile a Kit scrocchi)  
 Mechanism with cylinder (single point, not combinable with latches Kit)



	Con cilindro ovale (per uso con solo cilindro oppure cilindro e pomolo fisso) With oval cylinder (only for use with cylinder or cylinder and fixed knob)					
	<b>F9003/D</b>	Dx / Rhs	Nero/Black	70	2.350	1
	<b>F9003/S</b>	Sx / Lhs	Nero/Black	70	2.350	1
	Con cilindro ovale e maniglia With cylinder and handle					
	<b>F9009/D</b>	Dx / Rhs	Nero/Black	70	2.700	1
	<b>F9009/S</b>	Sx / Lhs	Nero/Black	70	2.700	1
	Con cilindro profilato With profile cylinder					
	<b>F9009/D/SAGSM</b>	Dx / Rhs	Nero/Black	70	2.350	1
	<b>F9009/S/SAGSM</b>	Sx / Lhs	Nero/Black	70	2.350	1
	Con cilindro profilato e maniglia With profile cylinder and handle					
	<b>F9009/D/SAG</b>	Dx / Rhs	Nero/Black	70	2.700	1
	<b>F9009/S/SAG</b>	Sx / Lhs	Nero/Black	70	2.700	1
	Con cilindro ovale e maniglia con micro-switch sullo scrocco With cylinder and handle with micro-switch on spring latch					
	<b>F9009/D/A</b>	Dx / Rhs	Nero/Black	70	2.700	1
	<b>F9009/S/A</b>	Sx / Lhs	Nero/Black	70	2.700	1
	Con cilindro ovale e maniglia con micro-switch sul portabarra With cylinder and handle with micro-switch on lever					
	<b>F9009/D/B</b>	Dx / Rhs	Nero/Black	70	2.700	1
	<b>F9009/S/B</b>	Sx / Lhs	Nero/Black	70	2.700	1



**LAMPO**  
 Meccanismo base Modulare (solo per soluzioni a 3 punti di chiusura)  
 Mechanism - Modular (only for 3 locking points solutions)

	Per cilindro ovale (per uso con cilindro e maniglia) For oval cylinder (for use with cylinder and handle)					
	<b>F9109C/D</b>	Dx / Rhs	Nero/Black	70	2.484	1
	<b>F9109C/S</b>	Sx / Lhs	Nero/Black	70	2.484	1
	Per cilindro profilato (per uso con cilindro e maniglia) For profile cylinder (for use with cylinder and handle)					
	<b>F9109C/D/SAG</b>	Dx / Rhs	Nero/Black	70	2.484	1
	<b>F9109C/S/SAG</b>	Sx / Lhs	Nero/Black	70	2.484	1

# Lampo / Elettrolampo


LAMPO  
Meccanismo base con  
dimensioni ridotte (non abbinabile  
a dispositivi esterni)  
*Mechanism with small dimensions  
(not combinable with  
external devices)*

PER ANTA SECONDARIA  
(utilizzabile anche su anta primaria)  
FOR SECONDARY LEAF  
(right also for primary leaf)

Codice / Code	Mano / Side	Finitura Finish		
Dimensioni ridotte (1 punto di chiusura) <i>Small dimensions (1 locking point)</i>				
F9000/A	Reversibile / Reversible	Nero/Black	1.494	1
Dimensioni ridotte con kit scrocci laterali (2 punti di chiusura laterali) <i>Small dimensions with side latches kit (2 lateral locking points)</i>				
F9049/A	Reversibile / Reversible	Nero/Black	3.356	1
Dimensioni ridotte con kit scrocci verticali (2 punti di chiusura verticali) <i>Small dimensions with vertical latches kit (2 vertical locking points)</i>				
F9050/A	Reversibile / Reversible	Nero/Black	3.218	1

## Barre Bars



Codice / Code	Finitura / Finish	mm		
Barre in acciaio verniciato <i>Painted steel bars</i>				
F19209/R*	Rosso / Red	995	800	6
F19210/R*	Rosso / Red	1.200	800	6
F19212/R*	Rosso / Red	1.500	800	6

\* Per le altre finiture disponibili, sostituire la "R" con le seguenti lettere  
\* For other finishes available, replace "R" with the following letters

GG = Grigio / Grey	N = Nero / Black	V = Verde / Green	WH = Bianco / White	IN = Inox / SS	AU = Oro / Gold
--------------------	------------------	-------------------	---------------------	----------------	-----------------




Codice / Code	Finitura / Finish	mm		
Barre in alluminio anodizzato <i>Anodized aluminum bars</i>				
F9309/AR	Argento / Silver	995	560	6
F9310/AR	Argento / Silver	1.200	680	6
F9312/AR	Argento / Silver	1.500	848	6

# Accessori per Lampo / Elettrolampo


## Accessories for Lampo / Elettrolampo





Codice / Code	Finitura / Finish		
Kit scrochi verticali Vertical latches Kit			
F9830NEW	Nero / Black	2.012	4
F9830/GRNEW	Grigio / Grey	2.012	4
F9830/WHNEW	Bianco / White	2.012	4
F9830/AUNEW	Oro / Gold	2.012	4
F9830/INNEW	Inox / Stainless Steel	2.012	4





Codice / Code	Finitura / Finish		
Kit scrochi laterali Lateral latches Kit			
F9831NEW	Nero / Black	2.012	4
F9831/GRNEW	Grigio / Grey	2.012	4
F9831/WHNEW	Bianco / White	2.012	4
F9831/AUNEW	Oro / Gold	2.012	4
F9831/INNEW	Inox / Stainless Steel	2.012	4



Codice / Code	Finitura / Finish		
Carter copriasta per articoli F9830 e F9831 Covers for rods for articles F9830 and F9831			
F9820NEW	Nero / Black	624	4
F9820/GRNEW	Grigio / Grey	624	4
F9820/WHNEW	Bianco / White	624	4
F9820/INNEW	Inox / Stainless Steel	624	4



Codice / Code	Finitura / Finish		
Prolunga asta superiore +1150 mm (carter non utilizzabile) per articoli F9830 e F9831 Upper extension rod +1150 mm (cover not applicable) for articles F9830 and F9831			
F9316/1	Nero / Black	350	1
F9316/1GR	Grigio / Grey	350	1
F9316/1WH	Bianco / White	350	1
F9316/1AU	Oro / Gold	350	1
F9316/1IN	Inox / Stainless Steel	350	1

Codice / Code	Finitura / Finish		
Guida aste in plastica (ricambio) per articoli F9830 e F9831 Plastic guide for rod (spare part) for articles F9830 and F9831			
F8328	Nero / Black	30	1
F8328/GR	Grigio / Grey	30	1
F8328/WH	Bianco / White	30	1

# Accessori per Lampo / Elettrolampo

## Accessories for Lampo / Elettrolampo



Codice / Code	Finitura / Finish		
---------------	-------------------	---	---

Kit scrocci verticali con copriaste  
 Vertical latches Kit with covers for rods

<b>F9840NEW</b>	Nero / Black	2.012	4
<b>F9840/GRNEW</b>	Grigio / Grey	2.012	4
<b>F9840/WHNEW</b>	Bianco / White	2.012	4
<b>F9840/AUNEW</b>	Oro / Gold	2.012	4
<b>F9840/INNEW</b>	Inox / Stainless Steel	2.012	4



Codice / Code	Finitura / Finish		
---------------	-------------------	---	---

Kit scrocci laterali con copriaste  
 Lateral latches Kit with covers for rods

<b>F9841NEW</b>	Nero / Black	2.012	4
<b>F9841/GRNEW</b>	Grigio / Grey	2.012	4
<b>F9841/WHNEW</b>	Bianco / White	2.012	4
<b>F9841/AUNEW</b>	Oro / Gold	2.012	4
<b>F9841/INNEW</b>	Inox / Stainless Steel	2.012	4



Codice / Code	Finitura / Finish		
---------------	-------------------	---	---

Asta superiore prolungata (+ 630 mm) con cover  
 Upper rod extended (+ 630 mm) with cover

<b>F9821</b>	Nero / Black	714	1
<b>F9821/GR</b>	Grigio / Grey	714	1
<b>F9821/WH</b>	Bianco / White	714	1



Codice / Code	Finitura Finish	Sporgenza Protrusion mm	mm		
---------------	-----------------	-------------------------	----	---	---


Mezzi cilindri profilati  
 Profile half cylinders

<b>F160/F</b>	Nichel / Nickel	55	76	250	1
<b>F160/MF</b>	Nichel / Nickel	65	86	276	1
<b>F160/LF</b>	Nichel / Nickel	85	106	324	1

Mezzi cilindri ovali  
 Oval half cylinders

<b>F150</b>	Ottone / Brass	55	76	218	1
<b>F150/M</b>	Ottone / Brass	65	86	246	1
<b>F150/L</b>	Ottone / Brass	82	103	290	1




Codice / Code	Finitura / Finish		
---------------	-------------------	---	---



Maniglia  
 Handle

<b>F9399</b>	Nero / Black	366	1
--------------	--------------	-----	---

# Incontri

## Strike plates




Codice / Code	Finitura / Finish		
Centrale o Superiore (Ricambio) Central or Upper (Spare Part)			
<b>F9300</b>	Inox / Stainless steel	52	1
Centrale per porte in legno Central for wooden doors			
<b>F9301</b>	Inox / Stainless steel	60	1
Centrale per porte in PVC (salto 11,7 mm) - 2 fori Central for PVC doors (11,7 mm door edge) - 2 holes			
<b>F9302</b>	Inox / Stainless steel	40	1
Centrale per porte in PVC (salto 11,7 mm) - 3 fori Central for PVC doors (11,7 mm door edge) - 3 holes			
<b>F9302/2</b>	Inox / Stainless steel	50	1
Centrale per porte in PVC (salto 16 mm) - 3 fori Central for PVC doors (16 mm door edge) - 3 holes			
<b>F9302/3</b>	Inox / Stainless steel	60	1
Per pavimento (Ricambio) For floor (Spare Part)			
<b>F9303</b>	Inox / Stainless steel	60	1

# Configurazioni per Porte ad Anta Singola

## Compositions for Single Leaf Doors

- X = Necessari / Necessary
- = Facoltativi / Optional
- = Alternativi / Alternative
- = Kit Scrocchi incluso (non abbinabile a dispositivi esterni)  
Latches Kit included (not combinable with external devices)
- xxx = Finiture e/o varianti (vedere listino)  
Finishes and/or variants (see price list)
- ↕ = Abbinamento con maniglia e cilindro  
Combination with handle and cylinder



Centrale Central	F9003xxx (cil. ovale incluso/oval cyl. included)	● X	-	-	-	-
	F9009xxx (cil. ovale e man. inclusi/oval cyl. and handle included)	● X	-	-	-	-
	F9009xxxSAGSM (cil prof. incluso/profile cyl. included)	● X	-	-	-	-
	F9009xxxSAG (cil prof. e man. inclusi/profile cyl. and handle included)	● X	-	-	-	-
	F9109Cxxx	-	-	● X	-	● X
	F9109/CxxxSAG	-	-	● X	-	● X
	F9000/Axxx (dimensioni ridotte/small dimensions)	● X	-	-	-	-
	F9049/Axxx (dim. ridotte-A/B compresi/small dim. - Up/Low latches included)	-	-	-	■ X	-
	F9050/Axxx (dim. ridotte-A/B compresi/small dim. - Up/Low latches included)	-	■ X	-	-	-
	ELETTROL. F9403xxx (cil ovale incluso/oval cylinder included)	● X	-	-	-	-
ELETTROL. F9403xxxSAG (cil. prof. incluso/profile cylinder included)	● X	-	-	-	-	
A/B Vert. Upper/Lower Vert.	F9830xxxNEW	-	-	● X	-	-
	F9840xxxNEW (cover inclusi/included)	-	-	● X	-	-
A/B Lat. Upper/Lower Lat.	F9831xxxNEW	-	-	-	-	● X
	F9841xxxNEW	-	-	-	-	● X
Cover per asta Cover for rods	F9820xxxNEW (per / for F9830 e/and F9831)	-	-	□	-	□
Barra Bar	F19209xxx (995mm)	● X	● X	● X	● X	● X
	F19210xxx (1200 mm)	● X	● X	● X	● X	● X
	F19212xxx (1500 mm)	● X	● X	● X	● X	● X
	F9309/AR (995 mm)	● X	● X	● X	● X	● X
	F9310/AR (1200 mm)	● X	● X	● X	● X	● X
	F9312/AR (1500 mm)	● X	● X	● X	● X	● X
Maniglia esterna External handle	F9399xxx	↕ X	-	↕ □	-	↕ □
Cilindro Cylinder	F150xxx	-	-	● □	-	● □
	F160xxx	-	-	● □	-	● □
Dispositivo Device	F9050/Axxx (dimensioni ridotte/small dimensions)	-	-	-	-	-
Barra Bar	F19209xxx (995 mm)	-	-	-	-	-
	F19210xxx (1200 mm)	-	-	-	-	-
	F19212xxx (1500 mm)	-	-	-	-	-
	F9309/AR (995 mm)	-	-	-	-	-
	F9310/AR (1200 mm)	-	-	-	-	-
	F9312/AR (1500 mm)	-	-	-	-	-

Anta Primaria / Primary Leaf


Anta Secondaria/Secondary Leaf



# Configurazioni per Porte ad Anta Doppia

## Compositions for Double Leaf Doors

- X** = Necessari / Necessary
- = Facoltativi / Optional
- = Alternativi / Alternative
- X = Kit Scrochi incluso (non abbinabile a dispositivi esterni)  
Latches Kit included (not combinable with external devices)
- xxx = Finiture e/o varianti (vedere listino)  
Finishes and/or variants (see price list)
- ↑ = Abbinamento con maniglia e cilindro  
Combination with handle and cylinder



	Centrale Central	F9003xxx (cil. ovale incluso/oval cyl. included)	● X	-	-	-
		F9009xxx (cil. ovale e man. inclusi/oval cyl. and handle included)	● X	-	-	-
		F9009xxxSAGSM (cil prof. incluso/profile cyl. included)	● X	-	-	-
		F9009xxxSAG (cil prof. e man. inclusi/profile cyl. and handle included)	● X	-	-	-
		F9109Cxxx	-	-	-	● X
		F9109/CxxxSAG	-	-	-	● X
		F9000/Axxx (dimensioni ridotte/small dimensions)	● X	-	-	-
		F9049/Axxx (dim. ridotte-A/B compresi/small dim.-Up/Low latches included)	-	-	<span style="border: 1px dashed black; padding: 2px;">X</span>	-
		F9050/Axxx (dim. ridotte-A/B compresi/small dim.-Up/Low latches included)	-	<span style="border: 1px dashed black; padding: 2px;">X</span>	-	-
		ELETTROL. F9403xxx (cil ovale incluso/oval cylinder included)	● X	-	-	-
ELETTROL. F9403xxxSAG (cil. prof. incluso/profile cylinder included)	● X	-	-	-		
A/B Vert. Upper/Lower Vert.	F9830xxxNEW	-	-	-	-	
	F9840xxxNEW (cover inclusi/included)	-	-	-	-	
A/B Lat. Upper/Lower Lat.	F9831xxxNEW	-	-	-	● X	
	F9841xxxNEW	-	-	-	● X	
Cover per asta Cover for rods	F9820xxxNEW (per / for F9830 e/and F9831)	-	-	-	□	
Barra Bar	F19209xxx (995mm)	● X	● X	● X	● X	
	F19210xxx (1200 mm)	● X	● X	● X	● X	
	F19212xxx (1500 mm)	● X	● X	● X	● X	
	F9309/AR (995 mm)	● X	● X	● X	● X	
	F9310/AR (1200 mm)	● X	● X	● X	● X	
	F9312/AR (1500 mm)	● X	● X	● X	● X	
Maniglia esterna External handle	F9399xxx	↑ X	-	-	□	
Cilindro Cylinder	F150xxx	-	-	-	● □	
	F160xxx	-	-	-	● □	
Dispositivo Device	F9050/Axxx (dimensioni ridotte/small dimensions)	X	X	X	X	
Barra Bar	F19209xxx (995 mm)	● X	● X	● X	● X	
	F19210xxx (1200 mm)	● X	● X	● X	● X	
	F19212xxx (1500 mm)	● X	● X	● X	● X	
	F9309/AR (995 mm)	● X	● X	● X	● X	
	F9310/AR (1200 mm)	● X	● X	● X	● X	
	F9312/AR (1500 mm)	● X	● X	● X	● X	


Anta Primaria / Primary Leaf

Anta Secondaria/Secondary Leaf


# Schemi di applicazione

## *Application patterns*


Mano sinistra  
*Left hand*




Mano sinistra  
*Left hand*




Mano sinistra  
*Left hand*




Mano sinistra  
*Left hand*



Mano sinistra  
*Left hand*




Mano destra  
*Right hand*




Mano sinistra  
*Left hand*

Mano destra  
*Right hand*



Mano sinistra  
*Left hand*

Mano destra  
*Right hand*



Mano sinistra  
*Left hand*

Note

ASSA ABLOY



ASSA ABLOY Italia S.p.A.  
Via Bovaresa 13 - 40017 San Giovanni in Persiceto (BO) Italy  
Tel. +39 051 6812411 - Fax +39 051 827486  
info@assaabloy.it - www.assaabloy.it

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

[www.assaabloy.com](http://www.assaabloy.com)

  
ASSA ABLOY

ASSA ABLOY Italia S.p.A. si riserva di apportare in qualunque momento e senza preavviso le modifiche necessarie per migliorare ed evolvere le caratteristiche dei propri prodotti. Fotografie, illustrazioni e descrizioni sono da ritenersi indicative. ASSA ABLOY Italia S.p.A. reserves the right at any time and without notice, the necessary modifications in order to improve and evolve the characteristics of their products. Photographs, illustrations and descriptions ought to be considered as indicative.

H001D05 / 10-2012