



Curva 15° M/F

DN (mm)	Codice			S (mm)	Z1 (mm)	Z2 (mm)	L1 (mm)	L2 (mm)	Note
40	01004P8	25	2.025	3	3	27	48	41	
50	01005P8	15	1.215	3	4	17	53	45	
75	01007P8	8	648	3	5	18	50	45	
90	01009P8	5	260	5.1	11	14	59	55.7	alto spessore
110	01011P8	5	260	3.2	9	22	62	57	
125	01012P8	4	208	3.2	10	22	68	63	
160	01016P8	4	96	4.0	14	28	82	72	




Curva 30° M/F

DN (mm)	Codice			S (mm)	Z1 (mm)	Z2 (mm)	L1 (mm)	L2 (mm)	Note
40	01104P8	25	2.025	3	5	19.5	49	41	
50	01105P8	15	1.215	3	8	20	53	45	
75	01107P8	8	648	3	11	24	50	45	
90	01109P8	5	260	5.1	17	18	59	55.7	alto spessore
100	07810P8	5	260	3.2	12	20	68	56	
110	01111P8	4	208	3.2	17	29	61	57	
125	01112P8	6	144	3.2	19	29	68	62	
160	01116P8	3	72	4.0	25	40	82	72	



Curva 45° M/F


DN (mm)	Codice			S (mm)	Z1 (mm)	Z2 (mm)	L1 (mm)	L2 (mm)	Note
40	07004P8	30	2.430	3	8	22	48	36	
50	07005P8	20	1.620	3	10	24	52	40	
75	07307P8	10	520	3.2	16	25	52	45	
90	01209P8	5	260	3	23	33	56	54	
100	07010P8	10	240	3	20	35	62	53	
110	01211P8	4	208	3.2	27	39	58	50	
125	07012P8	6	144	3.2	29	42	68	62	
160	07016P8	3	72	4.0	37	50	80	66	



Curva 67°30' M/F


DN (mm)	Codice			S (mm)	Z1 (mm)	Z2 (mm)	L1 (mm)	L2 (mm)	Note
75	01307P8	9	468	3	25	40	60	51	
90	01309P8	5	260	5.1	36	42	59	55.7	alto spessore
100	07210P8	3	156	3.2	33	53	75	57	
110	01311P8	6	144	3.2	41	53	62	56	
125	01312P8	6	144	3.2	46	60	69	62	
160	01316P8	2	48	4.0	60	74	82	74	

Curva 87° M/F




DN (mm)	Codice			S (mm)	Z1 (mm)	Z2 (mm)	L1 (mm)	L2 (mm)	Note
40	07104P8	30	2.430	3	20	32	43	36	
50	07105P8	20	1.040	3	23	40	53	40	
75	07407P8	9	468	3.2	52	58	50	45	
90	07109P8	5	260	3	47	57	56	54	
100	07110P8	10	240	3	47	63	63	55	
110	07111P8	3	156	3.2	59	69	58	50	
125	07112P8	5	120	3.2	67	79	69	62	
160	07116P8	2	48	4.0	84	100	80	66	

Derivazione 45° M/F



DN (mm)	Codice			S	S1	Z1	Z2	Z3	L1	L2	L3	Note
40/40	08004P8	20	1.040	3	3	9	52	52	49	45	45	
50/50	08005P8	10	520	3.2	3.2	14	70	70	48	40	40	
75/50	03127P8	6	312	3.2	3.2	-	85	-	42	45	-	
75/75	08807P8	4	208	3.2	3.2	15	93	93	51	45	45	
90/50	03128P8	5	120	5.5	3	10	77	100	53	53	45	alto spessore
90/90	08809P8	6	144	3	22	119	119	56	54	54	3	
100/40	08310P8	10	240	3	3	-20	84	95	84	60	44	
100/50	08330P8	3	156	3	3	-14	90	101	72	60	46	
100/100	08810P8	6	144	3.2	3.2	25	131	131	60	53	53	
110/50	03131P8	6	144	3.2	3.2	-14	102	114	63	55	40	
110/75	03151P8	6	144	3.2	3.2	3	120	127	63	55	45	
110/110	03011P8	4	96	3.2	-	27	143	143	58	50	50	
125/110	03192P8	2	48	3.2	3.2	19	147	152	69	62	56	
125/125	08012P8	2	48	3.2	-	30	161	161	71	62	62	
160/110	03116P8	2	48	4.0	3.2	2	168	176	82	74	56	
160/160	03016P8	4	32	4.0	-	38	205	205	83	71	71	

Derivazione 87° M/F



DN (mm)	Codice			S	S1	Z1	Z2	Z3	L1	L2	L3	Note
40/40	08104P8	15	1.215	3.2	3.2	25	33	33	44	36	36	
50/50	08105P8	14	728	3.2	3.2	29	38	38	48	40	40	
75/40	03507P8	4	324	3.2	3.2	25	35	50	48	45	36	
75/50	03527P8	6	312	3.2	3.2	30	40	52	53	45	40	
75/75	08907P8	5	260	3.2	3.2	37	39	58	66	50	50	
90/50	03528P8	5	260	5.5	3	39	31	47	53	53	45	alto spessore
90/90	03409P8	5	120	5.1	4.5	49	51	51	59	55.7	55.7	
100/50	08430P8	10	240	3.2	2.8	23	44	63	65	53	40	
100/100	08110P8	5	120	3.2	3.2	55	64	64	55	53	53	
110/50	03531P8	6	144	3.2	3.2	30	40	70	63	55	40	
110/75	03571P8	6	144	3.2	3.2	43	54	70	63	55	45	
110/110	08913P8	5	120	3.2	2.9	146	62	57.5	57.5	95.5	-	Raggiato
125/110	03572P8	4	96	3.2	3.0	84	58	92	78	77	67	
125/125	08112P8	3	72	3.2	3.2	66	70	78	62	62	62	
160/110	03516P8	10	80	4.0	3.2	59	69	37	81	74	57	
160/160	08116P8	5	40	4.0	-	76	98	98	88	74	74	